MAG SKY DATASHEET

MODULAR APPLICATION

48V | IP20



STANDARDS: EN 60598-1, EN 60598-2-1

PRODUCT DESCRIPTION

Magnetic track for recessed, surface or suspended application.
Available in 3 sizes, 1000, 2000 and 3000 mm.
Lacquered extruded aluminum body.
Driver and power connector need to be installed in the rail to work.

AVAILABLE COLOR/FINISH

1-white/ 2-black

AVAILABLE DRIVER

2- DALI - Flow regulation

TECHNICAL DRAWING



		Dimensions - mm	Code
Surface-mounted magnetic track		1000x27,2x51,3	MY.1000.XX.A2X
		2000x27,2x51,3	MY.2000.XX.A2X
		3000x27,2x51,3	MY.3000.XX.A2X
Recessed magnetic track		1000x48,6x51,3	MYE.1000.XX.A2X
		1500x48,6x51,3	MYE.2000.XX.A2X
		2000x48,6x51,3	MYE.3000.XX.A2X
Power connector		178x17,2x15,7	MY.ALI.XX.A2X
Surface support		40x31x58	MY.SAL.XX.A2X
Ceiling suspension		1500	MY.SUSP.XX.AXX
Driver	100W (1 meter in diameter)	275x22,2x25	DR.100W.MY.AXX
	150W (2 meters in diameter)	350x22,2x25	DR.150W.MY.AXX
	200W (3 meters in diameter)	350x22,2x25	DR.200W.MY.AXX
DALI Controller		48x48x22	CTR.DALI.OSRAM

Rua Dr. Manuel Ramos, 285 - Pavilhão E
4415-456 Grijó - Vila Nova de Gaia
Portugal

+351 221 110 602
ola@katoa.lighting
https://katoa.lighting/

MAG SKY accessories DATASHEET

MODULAR APPLICATION

POWER CONNECTOR

MY.ALI.XX.A2X

Power connector support for recessed or surface-mounted magnetic rail.
Plastic body.





SURFACE SUPPORT

MY.SAL.XX.A2X

Accessory for fixing the protruding MAG SKY rail.
Aluminum body.





CEILING SUSPENSION KIT

MY.SUSP.XX.A2X

Suspension kit for magnetic rail, which includes steel cables, electric cable, suspension accessories and finial (surface-mounted or recessed).





DRIVER 100W

DR.100W.MY.AXX

Driver for MAG SKY.



1 meter in diameter



DRIVER 150W

DR.100W.MY.AXX

Driver for MAG SKY.



2 meters in diameter



DRIVER 200W

DR.100W.MY.AXX

Driver for MAG SKY.



3 meters in diameter



KATOA
Everything is Lighting

Rua Dr. Manuel Ramos, 285 - Pavilhão E
4415-456 Grijó - Vila Nova de Gaia
Portugal

+351 221 110 602
ola@katoa.lighting
https://katoa.lighting/

MAG SKY accessories DATASHEET

MODULAR APPLICATION

DALI CONTROLLER

CTR.DALI.OSRAM

DALI controller for push button.





Rua Dr. Manuel Ramos, 285 - Pavilhão E
4415-456 Grijó - Vila Nova de Gaia
Portugal

+351 221 110 602
ola@katoa.lighting
https://katoa.lighting/